

6.0 Stand design, construction and fitting regulations

C: Shell Stands (1.5m high)

- 6C.1 access to site
- 6C.2 examination of site
- 6C.3 completion of stands
- 6C.4 maintenance and repair of stands
- 6C.5 1.5m high shell scheme stand specifications
- 6C.6 1.5m high shell scheme contractor
- 6C.7 additional fittings on system scheme stands
- 6C.8 do and don't with system scheme
- 6C.9 breakdown of show/dismantling of stands
- 6C.10 construction materials and fireproofing
- 6C.11 electrical installations
- 6C.12 compressed air and industrial gases in steel cylinders
- 6C.13 floor loadings

The following regulations/notes are not exhaustive. Approval for circumstances not detailed should be sought from the Organisers.

6C.1 Access to site

Your stand will be built to the specifications agreed between yourself and Full Circle Events in time for you to gain access from 12 noon on Monday 21 January (electrical work may not be completed by this time, but you will have access to dress the stand). You should make contact with Full Circle Events to agree final stand design, location of sockets and lighting and the name for your nameboard. (see forms to complete at the back of this section of the Handbook). Hi-vis vests or similar are mandatory attire for all staff, contractors, exhibitors during the build and dismantle periods.

6C.2 Examination of site

All stand measurements are in metres.

When arriving, and before commencing any stand-dressing or alterations, please ensure that the site is in accordance with the Contract and is indicated on the floor plan issued by the Organisers. Any errors in dimensions or location must be reported to the Organisers immediately.

6C.3 Completion of stands

All stands must be completed, including positioning of exhibits, painting and signwriting by 2200 hours on Monday 21 January.

6C.4 Maintenance and repair of exhibits/stands

No major maintenance or repair work to stands may be carried out while the Exhibition is open to visitors. An application may be made to the Organisers for permission to carry out repairs between 0800 and 0900 hours.

6C.5 1.5m high shell scheme stand specifications

Low Stands - 1.5 metres high

Stands are built from a shell scheme frame, clad with white mdf panelling. Each stand will have a minimum of a 2 metre opening. Exhibitors can arrange a more open configuration with the standbuilder, Full Circle Events and should call 0161 393 3949 (email: Exhibit@fullcicleeventsLtd.co.uk) to agree the stand layout.

Each stand will come with grey carpeting and a name to be attached to a stand wall.

Electrical packages depend on the size of stand and are as follows:

Overall stand area:	Up to 15 m ²	2 sunfloods and 1 x 500w socket
	15.5-24 m ²	3 sunfloods and 2 x 500w sockets
	24.5-35 m ²	4 sunfloods and 3 x 500w sockets
	35.5-40 m ²	6 sunfloods and 3 x 500w sockets
	Over 40 m ²	7 sunfloods and 3 x 500w sockets

6C.6 Shell scheme contractor

The Organisers have appointed the following contractor to erect all shell scheme stands as detailed:

Full Circle Events

Tel: 0161 393 3949 Email: Exhibit@fullcicleeventsLtd.co.uk

6C.7 Additional stand fitting on shell scheme

The above contractor may be used for additional stand fitting. See Order Forms in this section of this Handbook. Any damage to the system scheme is the responsibility of the Exhibitor.

6C.8 Do and Don't of Shell Scheme

Please follow these guidelines when dressing your stand:

DON'T

- i. Don't drill into the walling (other than pilot holes for small screws).
- ii. Don't paint the walling
- iii. Do not use glues/adhesives as these will damage the panels.

DO

- i. Do use Velcro, double sided tape or blue tack on the walling.
- ii. Do use drawing pins, panel pins or staples in the walling.
- iii. Do use nails or small screws in the walling.
- iv. If you wish to hang a heavy item from the walling, or have any questions please contact Full Circle Events prior to the event.
- v. Graphics may be applied on the walling.

Any exhibitors who do not follow the above guidelines will be charged for any damage caused to the walling.

6C.9 Breakdown of show/Dismantling of stand

The show closes at 1600 on Thursday. No packing of samples or dismantling of stands should take place prior to this time. Exhibitors will have one hour to remove their samples and then contractors will also have access to begin dismantling of stands.

All system stands must be vacated including samples and fixtures and fittings supplied by the exhibitor or their own contractor as soon as possible following the closure of the show. The standbuilder will dismantle stands from 1700.

Any damage done to walls, columns, floorings or other parts of the premises will be required by Telford International Centre to be made good at the exhibitors expense. Exhibitors are responsible for the removal of all goods and material supplied by themselves or by their own contractors for standbuilding and fitting.

6C.10 Construction Materials and Fireproofing

All work must be carried out in conformity with the requirements of the Rules and Regulations of Telford International Centre, Local Authorities and the Regulations in force for the time being. Materials should comply with British Standards numbers BS476 part 7 and/or BS5570 and/or BS3120. Stands will be inspected during build up and the local authorities may remove any offending materials or close down any stand which does not meet the regulations.

- a) All timber less than 25mm in thickness and plywood, hardboard, blockboard and chipboard less than 18mm must be rendered flameproof by a recognised process to Class 1 standard when tested in accordance with the current edition of BS476. Timber over 25mm thick need not be treated. All materials which have been rendered flameproof in a manner approved to be branded with a recognised mark.
- b) Plastics must conform to BS476. Vinyl or plastic sheeting must comply to BS5438. Lexan and Macralon are acceptable.
- c) Textile fabrics - unless incombustible - may not be used for partitioning stands or for forming offices or the back and sides of stands and so far as they may be used for decoration treatment of such portions, the fabric must be backed with materials similar to that required for the construction of the stands. They shall be fixed taut to the backing boards and secured at floor level by a skirting board not less than 75mm deep.
- d) Painting: no stands, or parts thereof may be surfaced or otherwise treated with cellulose paint or other substance with a low flash point or which is dangerous for any other reason.

Full details of Telford International Centre's standbuilding regulations are available on request from the Organisers.

6C.11 Electrical installations

Regulations have been adopted by the main UK exhibition venues, including Telford, to the effect that all electrical installations must be inspected and undergo both dead and live tests. If you are ordering electrical fitting and sockets from the official contractor, separate testing charges are listed on the electrical order form.

The organisers have arranged special terms and charges with the Electrical Contractor for the hire and installation of electrical fittings on stands. The official contractor is responsible for observing the relevant regulations of the Institute of Electrical Engineers and the Exhibition Venues Association's (EVA) "Regulations for Stand Electrical Installations 1991". Although you and your contractor should be conversant with the EVA regulations, you must be aware of the following issues:

- a) All exhibitors must be aware of all regulations that apply to exhibition electrical installations and must adhere to these regulations.
- b) Appliances supplied and used by exhibitors must be tested before being used and proof of this will be required. Exhibitors own equipment must also comply with the regulations and will be subject to spot checks.
- c) All prefabricated electrical work must be carried out by suitably qualified and experienced electrical personnel and documentary proof of competence may be required.
- d) No exposed means of cable joints will be permitted.
- e) No lamp holder using spikes for connections will be permitted.
- f) Socket outlets must never be closer than 2 metres from a sink unit (unless protected by an RCD) and floor sockets must be protected against ingress of water.
- g) No multiway adaptors are to be used.
- h) Lamps and appliances with high temperature surfaces should be guarded and used well away from combustible materials.
- i) The maximum length of flexible cord to an appliance is 2 metres. Extension leads on drums, reels or coils of flexible cord are not permitted.
- j) All appliances for heating purposes (ie kettles) must be thermostatically controlled.

Full details of Telford International Centre's lighting and electrical regulations are available on request from the Organisers.

6C.12 Compressed gas

Compressed gas may only be used under special circumstances. Contact the organisers for further information if necessary.

6C.13 Floor Loadings

2000 kg per square metre.

2

Conventional Shell Scheme ACCESSORIES



Full Circle Events & Exhibitions Ltd
 Engels House, Victoria Mills
 Waste Trading Estate
 Liverpool Street
 Salford M5 5HD

Fullcircle

Tel: 0161 393 3949 Fax: 0161 873 7688

Email: Exhibit@Fullcircleeventsltd.co.uk

Show:	SLIDE 2019
Venue:	Telford International Centre
Dates:	22nd – 24th January 2019
Stand No.	

Return By:	21st December 2018
Our Ref:	2147

Company Name: _____

Email Address: _____

Invoice Address: _____

Postcode: _____

Contact: _____

Tel: _____

Fax: _____

Mobile: _____

Date: _____

ITEM/DESCRIPTION	UNIT	Early Booking Price	Standard Price	QTY	Total
Shelf (sloping) 300mm deep (Please specify height)	per metre	£31.50	£37.80		
Shelf (flat) 300mm deep (Please specify height)	per metre	£31.50	£37.80		
Hanging Rail (Please specify height)	per metre	£36.75	£44.10		
Waterfall Bracket (Please specify height)	each	£26.25	£31.50		
Mirror (Wall Mounted)	each	£43.58	£52.30		
Hat & Coat Hooks (5 hooks)	each	£25.00	£30.00		
Curtain 1m wide - White	each	£84.29	£101.15		
Lockable Door	each	£94.50	£113.40		
Colour Change to Walls - Paint Finish	per metre	£42.00	£50.40		
Colour Change to Walls by Exhibitor (matt Emulsion Only)	per metre	£18.33	£22.00		
Extra Panel/Wall - white foamex 1m(w) x 2.5m(h)	per metre	£57.75	£69.30		
Slat Walling 1m(w) x 2.5m(h) (NB: We do not supply fixings)	per metre	£94.50	£113.40		

IMPORTANT NOTICE: Any order will not be processed without Payment in Full

****Important information re: Non UK Companies within the EU:**

Please supply your current VAT Number

If we do not receive your VAT Number we will charge you VAT at the rate of 20% Full Circle Event & Exhibitions VAT No: GB 167 9174 66

Chosen Method of Payment:

(please indicate with X in the box)

Credit Card Cheque
 Debit Card BACS

NB: We **DO NOT** accept AMEX Please use Our Ref / Your stand No. as a reference

Subtotal	
VAT @ 20%**	
Total Cost	

Cheques should be made payable to Full Circle Events & Exhibitions Ltd. Not acceptable 5 days prior to 1st day of build up or for any on-site orders

Bank Details - Account Number: 64348865 Sort Code: 01-10-01 Swift/BIC: NWBKGB2L IBAN: GB59NWBK01100164348865

Name of Card Holder: _____

Card Number:

3 Digit Security Code (This number can be found on the back of your card):

Expiry Date:

Maestro Card please include: Issue Number: Valid From Date:

Address to which this card is registered: _____

An invoice confirmation of your order will be emailed to you from our finance department. Don't forget to keep a copy of your order for your records.

Internal Use Only:	Payment Received	<input type="checkbox"/>	Drawing Received	<input type="checkbox"/>	Added to Schedule	<input type="checkbox"/>
	Processed By	<input type="text"/>	Date Processed	<input type="text"/>		

Shell Scheme Accessories PLAN



Full Circle Events &
Exhibitions Ltd
Engels House, Victoria Mills
Weaste Trading Estate
Liverpool Street
Salford M5 5HD

Tel: 0161 393 3949 Fax: 0161 873 7688

Email: Exhibit@Fullcircleeventsltd.co.uk

Show:	SLIDE 2019
Venue:	Telford International Centre
Dates:	22nd – 24th January 2019
Company:	
Stand No.:	

Our Ref:	2147
----------	------

Please Indicate: Shell: Space:

Do you have a platform: Yes/No



FRONT OF STAND

It is important that the sketch gives details of the open front(s) of the stand, and also the orientation of the stand in relation to others.

IMPORTANT - Please Read The Following Notes:

1	All items (subject to availability) are <u>nett on hire</u> and <u>provided in accordance with suppliers' terms and conditions</u> (a copy of which is available on request), and <u>should be insured during the show period</u> against all risks for <u>3 times the rental value</u> .
2	This diagram will be used to place all orders on your stand. Ensure you complete the diagram clearly and show all heights and dimensions for the placement of all items you have ordered.
3	Loading of shelves (per 1m panel): 1 shelf - max 25kg / 2 shelves - max 40kg / 3 shelves - max 60kg / 4 shelves - max 80kg.
4	If you do not complete this diagram or indicate the heights and dimensions of all orders, items will be placed at our discretion. Subsequent change will be subject to a £25 charge.

please complete and return this form to:

Slide

3 Coalhill
The Shore
Edinburgh EH6 6RH
tel. 0131 555 3820
fax. 0131 553 7488



The basis of the contract is section 9.0, the general terms of contract for order forms

Please retain a copy for your reference and files.

Your company name, address:

Date form sent _____

Signature _____

Health & Safety Declaration

(To be completed and returned by ALL exhibitors)

One copy of this form to be returned by 30 November 18

It is a condition of entry that every Exhibitor, Contractor, Supplier and their agents comply with Health and Safety legislation (HASAWA74) and all regulations relating to Telford International Centre. The exhibitor accepts that it is their responsibility to ensure that their own and others' Health and Safety is not put at risk by their action (or inactions) throughout tenancy. Each exhibitor must name their staff member who is responsible for the Health and Safety aspects of their stand/staff throughout the exhibition.

Health & Safety representative on the stand is (name): _____

Position within company: _____

Mobile Telephone/Stand Telephone Number: _____

a) We have a **shell scheme stand. We have trained and made all our staff aware of the potential risks on site and will advise them of any additional safety information supplied. Our exhibits, demonstrations and work practices cause **No Hazards** to ourselves or others on site.**

✓

OR

b) We have a **space only stand. The principal contractor/person responsible has undertaken a specific risk assessment for this event in accordance with HASAWA74 and has trained and notified his staff and sub-contractors in all areas of risk. Our principal contractor/ person responsible has a suitable Method Statement prepared for the show - and has satisfied me of his competence to undertake the tasks required.**

I confirm that I have read the TIC Site Induction Document. I will make available at Slide a copy of our own company's Health & Safety Policy and Risk Assessment. Our stand staff will be sufficiently instructed and trained in matters in order to carry out their tasks safely and competently.

Signed: _____

Name in block capitals: _____

Date: _____

All space only exhibitors (and any shell scheme exhibitors who believe that any hazards may exist) should submit a risk assessment to the Organisers by 30 November 18 (see sample risk assessment in section 7). Any complex space stands (see 6A.7 for definition) **must** complete the Submission of Plans form along with plans, risk assessment, method statement and any other relevant documents.